

Message

From: Pete Haid [phaid@tradepointatlantic.com]
Sent: 4/7/2021 7:35:08 PM
To: Hennessy, Joel [Hennessy.Joel@epa.gov]; Prince, Ruth [Prince.Ruth@epa.gov]
CC: Oduwole, Moshood [Oduwole.Moshood@epa.gov]
Subject: FW: Site-Wide Groundwater Interim Corrective Measures Study Report
Attachments: Site-wide GW CMS Report 29Mar2021.pdf; Site-wide GW CMS cover letter 29Mar2021.pdf

Joel/Ruth:

I can make ARM available next week to do a high-level "run through" of this submittal (at your convenience). Moshood is out this week, but we can arrange for a short call once Moshood gets back, if you would like.

Thanks.

Pete

From: Craven, Laura <lcraven@wcgrp.com>
Sent: Monday, March 29, 2021 6:06 PM
To: Barbara Brown -MDE- <barbara.brown1@maryland.gov>; Jennifer Sohns -MDE- <jennifer.sohns@maryland.gov>; Oduwole, Moshood <Oduwole.Moshood@epa.gov>; Prince, Ruth <Prince.Ruth@epa.gov>; Hennessy, Joel <Hennessy.Joel@epa.gov>
Cc: Pete Haid <phaid@tradepointatlantic.com>; Matthew Newman <mnewman@tradepointatlantic.com>; Bob Tworowski <btworowski@tradepointatlantic.com>; Taylor Smith <tsmith@armgroup.net>
Subject: Site-Wide Groundwater Interim Corrective Measures Study Report

All,

Please find attached Sections 1 to 4 of the Site-Wide Groundwater Interim Corrective Measures Study Report as well as the associated cover letter.

Please let me know if you have questions or need further information.

Thanks,
Laura

Laura Craven
Senior Project Manager

 Weaver Consultants Group
1316 Bond Street | Suite 108
Naperville, IL 60563
O: 630-717-4848 | D: 630-687-6212 | F: 630-717-4850 | M: 630-913-6591
www.wcgrp.com | lcraven@wcgrp.com





IMPORTANT NOTICE: The information contained in this email message (including any attachments) may be confidential, privileged or both, and is intended exclusively for the addressee(s) intended by the sender. If it appears you have received this email message in error, please notify the sender immediately and then delete; any other use of this email message is prohibited. Thank you.